

# DOC CC Quarterly Report 2

## Report Description:

---

This report will produce the data required for the Indiana Department of Correction: Community Corrections Quarterly Data Report.



## Running the Report:

---

Enter the beginning date and ending date.

**DOC CC Quarterly Report 2**  
Enter report criteria and press "Submit"










---

From date:\*    
To date:\*  

## The Report:

---

This report produces a .zip file that contains 9 excel spreadsheets. This report will look for community corrections requirements that were open, added, or ended during the time period. If a CC requirement is not found, the case will not appear in this report.

-  Owen09CY2018AS
-  Owen09CY2018CI
-  Owen09CY2018CT
-  Owen09CY2018ED
-  Owen09CY2018EM
-  Owen09CY2018Errors
-  Owen09CY2018OI
-  Owen09CY2018SI
-  Owen09CY2018TI

# Specify community corrections requirement codes  
# cc.requirements.n = <requirementType/requirementCode>

## AS is the Assessment Information.

The report is looking for assessments dated AFTER the community correction requirement start date. There could be duplicates if there are multiple assessments done during time period.

	A	B	C	D	E	F	G
1	UnSysId	Key	AsmtTy	AsmtLTy	AsmtScr	AsmtDt	AsmtOvr
2	2189	Wh [redacted] er8211989314063700	CS	IN	13	1/3/2018	N
3	2191	Jan [redacted] ngs6111985317067414	CS	IN	10	1/5/2018	N
4	2344	Tue [redacted] as7221998317199165	CR	IN	2	5/16/2018	N

- **AsmtTy** = Assessment Tool Type. We specify the assessment types to include in the report settings. We also cross-reference the Quest assessment type codes to the two digit DOC codes in the report settings under “assessment.types.n=<assessmentType>” and “assess.type.<assessmentType>=<DOC assessment type>”.
- **AsmtLTy** = Assessment Reason. Pulls in the assessment reason. In the Table: Assessment Reason, if the long description contains “initial” the report displays IN. If the long description contains “reassess”, the report displays RE. Otherwise the report displays “DS”.
- **AsmtScr** = Assessment Score. Pulls in the assessment score.
- **AsmtDt** = the Assessment Date. Pulls in the assessment date.
- **AsmtOvr** = the Assessment Override. The Quest codes are cross-referenced with the two digit DOC codes in the report settings under “assess.overrideReason”.

Assessment Date	Type	Reason	Score	Assessment Level	Supervision Level
<a href="#">Add a new assessment</a>					
1/3/2018 2:09:11 PM	(View) Community Supervision Tool (IRAS-CST)	Initial	13	Low	
		Notes: Assessment ID: 1218868			
		Details: Criminal History - 1: Low Education, Employment and Financial Situation - 3: Moderate Family and Social Support - 0: Low Neighborhood Problems - 0: Low Substance Abuse - 2: Moderate Peer Associations - 3: Moderate Criminal Attitudes and Behavioral Patterns - 4: Moderate			

# Specify assessment types to include in the report.

# If none are specified, then all will be included.

# assessment.types.n=<assessmentType>

# Cross reference assessment types to DOC 2 letter assessment type.

# assess.type.<assessmentType>=<DOC assessment type>

# Cross reference assessment override reasons to DOC two letter reasons.

# assess.overrideReason.<overrideReason>=<DOC reason>

# assess.overrideReason.xyz=LI

## CI is Commitment Information

This is providing information about the referral a participant received.

	A	B	C	D	E	F
1	UnSysId	Key	RecvCd	CurStDt	CurEndDt	Compty
2	2189	Wh [REDACTED] er8211989314063700	PR	1/3/2018		
3	2191	Jan [REDACTED] gs6111985317067414	PR	1/5/2018	4/25/2018	cc
4	2344	Tucker Thomas 7221998317199165	PR	5/16/2018	5/17/2018	tc

- **RecvCd** = Received Code. This indicates the type of referral a participant received. This pulls from the Community Corrections Requirement attribute. The cross reference for the referral type and the requirement attribute is in the report settings under “[requirementAttribute](#)”.
- **CurStDt** = Community Corrections Commitment Start Date. The date a participant begins physical supervision by your agency. This pulls from the CC Requirement Start Date.
- **CurEndDt** = Community Corrections Commitment End Date. The date that a participant is no longer being physically supervised by your agency. This pulls from the CC Requirement Status Date.
- **Compty** = Community Corrections Commitment Completion Type. The participant’s type of physical supervision completion. This pulls from the Requirement Status. The cross reference for the requirement status and the DOC completion codes are in the report settings under “[requirementstatus](#)”.

There can be duplicate lines if there were multiple community correction requirements.

## Requirement Detail

[Cases](#) | [Attributes](#) | [Alerts](#) | [Phases](#) | [Treatments](#) | [Incentives](#) | [Sanctions](#) | [Phase Hours](#)

Requirement type: PROBATION  
 Requirement code: ADULT PROBATION  
 Provider:

Assigned date:  Start date:

Scheduled end date:  New end date:

Status:  Status date:

# Cross reference requirement status to DOC end type.  
 # Used for CC completion, components and treatments.  
 # requirementstatus.<statusCode>=<DOC end type>

# requirementAttribute.<attribute type>=??  
 requirementAttribute.prob=PR

## CT is Level of Supervision Type

This section is looking at the manner in which a participant receives supervision.

	A	B	C	D	E	F	G	H
1	UnSysId	Key	CompName	CompStDt	CompEndDt	CompEndTy	CompRefTy	OffCaus
2	2189	Wh [redacted] er8211989314063700	CS	1/3/2018			PR	60C011710CM000842
3	2191	Jan [redacted] gs6111985317067414	CS	1/5/2018	4/25/2018	CC	PR	60C011712CM000925
4	2344	Tu [redacted] s7221998317199165	CS	5/16/2018	5/17/2018	TC	PR	60C011803CM000191

- **CompName** = Level of Supervision. The manner in which a participant receives supervision from your agency. This is looking at the requirement codes defined in the report setting.
- **CompStDt** = Level of Supervision Start Date. This is pulling from the Requirement Start Date.
- **CompEndDt** = Level of Supervision End Date. This is pulling from the Requirement Status Date.
- **CompRefTy** = Level of Supervision Referral Type. This is pulling from the Requirement Attribute.
- **OffCaus** = This is the case number associated these requirements.

May have duplicate lines if the person has multiple CC requirement types. One line per CC requirement.

## Requirement Detail

[Cases](#) | [Attributes](#) | [Alerts](#) | [Balances](#) | [Transactions](#)

Requirement type: [COMMUNITY CORRECTIONS](#)

Requirement code: [Community Service Restitution Hours](#)

Provider:

Assigned date:  Start date:

Scheduled end date:  New end date:

Status:  Status date:

[Requirement attributes](#) [Top](#)

[Probation Condition](#)


## ED is Education Information

This is looking at the Schools Attended section of the person.

	A	B	C	D
1	UnSysId	Key	EduLvl	EduDt
2	2189	W...er8211989314063700	14	1/3/2018
3	2191	Jan...gs6111985317067414	15	1/5/2018
4	2344	Tu...s7221998317199165	14	5/16/2018

- **EduLvl** = Education Level. The participant's highest level of education completed. This comes from the Last grade attended/attending. The cross reference section is in the report settings under "[last.grade.<lastGrade>=<DOC Education level>](#)".
- **EduDt** = Education Date. This comes from the "from date".

---

From date: 1/5/2018  
School: **Other**  
Last grade attended/attending:\* BS - Bachelor Degree  
Status:\* COM - Completed  
Status date: 1/5/2018   
Notes:

# Cross reference last grade.  
# Quest value is used if not cross referenced here.  
# last.grade.<lastGrade>=<DOC Education level>

## EM is Employment Information.


This comes from the Employer section of the Person Detail.

	A	B	C	D	E	
1	UnSysId	Key	EmpRest	EmpStDt	EmpEndDt	EmpName
2	2189	W [redacted] er8211989314063700	N	1/3/2018	1/3/2018	Unemployed
3	2191	Ja [redacted] gs6111985317067414	N	1/5/2018		Indiana Railroad Co.
4	2344	Tu [redacted] as7221998317199165	N	5/16/2018		Just Pop-In

- **EmpRest** = Employment Restrictions. Did the participant have a status or any restrictions preventing them from having employment. This is looking at the Employer Status. If there is an employment status that matches the report settings under “[employStatus.restricted](#)” it will report Y, otherwise it will report N.
- **EmpStDt** = Employment Start Date. The initial start date of employment. If the participant is employed when arriving, this would be the start date. Looks at the Employer From Date.
- **EmpEndDt** = Employment End Date. If the employment status does not indicate an employed state it will put the status date as the end date. If the status code indicates an employed state, this will be left empty.
- **EmpName** = Employer Name. Reports the name of the Employer. In this example, a person was added with a name of “Unemployed.”

May have duplicate lines if the person had multiple employers during the time period.

---

From date: 1/3/2018  
 Employer: **Unemployed**  
 Status:\* UNEM - Unemployed  
 Status date: 1/3/2018   
 Income: \$0.00  
 Notes:

# Employment status codes for 'employment restrictions'  
 # employStatus.restricted.n=????

Errors provides all the errors.

	A	B
1	FileNumber	Error
2	2189	Treatment/program info not found.
3	2191	Treatment/program info not found.
4	2344	Treatment/program info not found.
5	1981	Treatment/program info not found.
6	2193	Treatment/program info not found.
7	1983	Treatment/program info not found.
8	2196	Treatment/program info not found.
9	946	Treatment/program info not found.
10	2198	Treatment/program info not found.
11	2349	Treatment/program info not found.
12	952	Assessment info not found.

This report is letting you know the missing information. It will provide the file number of the person, then tell you what wasn't found. You can fix the issues and run the report again.

## OI is Participant Information

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
1	CountyCode	DocNum	FirstName	LastName	MI	SSN	Sex	Gender	Race	Ethnicity	Citizen	DOB	Veteran	UnSysId	Key
2	60		W	K		314-700	F	F	W	N	Y	8/21/1989	N	2189	W
3	60		Jar	J		317-414	M	M	W	N	Y	6/11/1985	N	2191	J
4	60		Tu	T		317-165	M	M	W	N	Y	7/22/1998	N	2344	Tu

- **CountyCode** = This is the code that identifies your county. This is pulled from the Defaults Table: County.
- **DocNum** = Participant’s DOC number. This is pulled from Other identifiers if a code is found report settings under “**otherid.doc**.”
- **First Name, Last Name, MI, SSN, Sex, Gender, Race, Ethnicity, Citizen, DOB** = are all pulled from the person detail screen. Transgender can be set up as a Gender or as a person attribute. This can be set up in the report settings under “**gender.t.1**=”.
- **Veteran** = This is pulled from the person attributes. This can be set up in the report settings under “**personAttribute.veteran**=”.

**Name**

First:  Middle:  Last/Business.\*:  Generation:

File number:  Emancipated:  Yes  No Status:

---

**Identifying information**

Race:  Sex:  Date of birth:  Age:  Date of death:

Ethnicity:  Citizenship:  Language:

Marital status:  Religion:

Height (feet/inches):  /  Weight:  Hair color:  Eye color:

Place of birth:  SSN/Business ID:

**- Other identifiers [Top](#)**

**Drivers License Number - 0620-03-8639 (Indiana); Revoked**  
**Habitual Traffic Violator - Life**

---

**DOC Number (Indiana) - 197630 (Indiana)**

---

**JTAC Subject ID for Assessment System - 66621**

**- Person attributes [Top](#)**

**Veteran (and/or Current Military)**

# Specify other id for the DOC number  
 # otherid.doc=<id type>  
 otherid.doc=doc

# Specify other id for Drivers license number  
 # otherid.driverlic=<id type>  
 otherid.driverlic=dln

# Specify Gender from person attributes:  
 #gender.m.n=<person attribute for male>  
 #gender.f.n=<person attribute for female>  
 #gender.t.1=<person attribute for transgender>

# Person attribute for veteran  
 personAttribute.veteran=VET



## SI is Sentence Information

	A	B	C	D	E	F	G
1	UnSysId	Key	Offic	OffCaus	OffLvl	DispRI	CurStDt
2	2189	WhitneyKeller8211989314063700	9-30-5-2(a) & (b)	60C011710CM000842	MA	GU	1/3/2018
3	2191	JamesJennings6111985317067414	9-30-5-1(b)	60C011712CM000925	MA	GU	1/5/2018
4	2344	TU [REDACTED] as7221998317199165	9-30-5-2(a) & (b)	60C011803CM000191	MA	NG	5/16/2018
5	2344	TU [REDACTED] as7221998317199165	35-48-4-11(a)(1)	60C011803CM000191	MB	GU	5/16/2018
6	2344	TU [REDACTED] as7221998317199165	35-48-4-8.3(b)(1)	60C011803CM000191	MC	NG	5/16/2018

- **Offic** = IC Code. The Indiana Code specific to the offense committed for which the participant is being supervised. This is looking at the filed statutes and providing the Indiana code for each statute. One line for each filed statute it finds.
- **OffCaus** = The county case number used to identify these charges. This displays the case number.
- **OffLvl** = Commitment Offense Level. The offense level of the charges. Reports the class and severity of each filed statute.
- **DispRI** = Disposition – the Disposition of each filed statute. If the disposition code is a “guilty” disposition as set up in the table: [Statute Disposition \(SDISPOSITION\)](#), then it is reported as GU, otherwise it reports it as NG.
- **CurStDt** = Community Corrections Commitment Start Date. The date the participant begins physical supervision by your agency. This is looking at the start date of the community corrections requirement.

If the filed statute disposition date is empty or after the community corrections start date, the Received Code will report pretrial.

- Filed statutes <a href="#">Top</a>		<a href="#">Get from another Add</a>	
Count	Petition	Plea	Disposition
1 - Operating a Vehicle While Intoxicated Endangering a Person (9-30-5-2(a) & (b)), a Class A Misdemeanor; Filed 3/28/2018	180328004		Dismissed NPA
2 - Possession of Marijuana (35-48-4-11(a)(1)), a Class B Misdemeanor; Filed 3/28/2018	180328004		Guilty by NPA
3 - Possession of Paraphernalia (35-48-4-8.3(b)(1)), a Class C Misdemeanor; Filed 3/28/2018	180328004		Dismissed NPA

Count: 2

Conspiracy/attempt indicator:

Statute:\* List statutes containing:\*   
  
 Basic marijuana possession offense. First time offender.

Citation number:

Item type:

Item amount:  Item limit:  Measure:

Classification:

Filed date:  Petition:

Plea:  Date:

Disposition:  Date:

5/16/2018

ADULT PROBATION

5/16/2018  
132 days

Intrastate Transferred Out  
(Adult)

5/17/2018

## TI is Treatment Information

These are the programs listed in your submitted Program List.

	A	B	C	D	E	F	G
1	UnSysId	Key	TmntName	TmntAtt	TmntStDt	TmntEndDt	TmntEndTy
2	1982	EV [REDACTED] 1992307136010	WWIT - individual	5	9/5/2018		
3	496	M [REDACTED] 2171994306158959	WWIT - individual	5	7/11/2018		
4	496	M [REDACTED] 2171994306158959	Call2test	1	6/25/2018		
5	499	M [REDACTED] rez261996603888796	Call2test	1	4/24/2018		
6	499	M [REDACTED] rez261996603888796	Matrix IOP	2	11/21/2017	6/19/2018	NC

- **TmntName** = Treatment/Program Name. The official full program name. This is the long description of the Requirement Code set up in the report settings under “[treatments](#)”.
  - **TmntAtt** = Treatment/Program Attribute. This is looking at the report settings for Treatments to determine what type of program this code is.
  - **TmntStDt** = Treatment/Program Begin Date. The date the participant began the program. This is reporting the Requirement Start date.
  - **TmntEndDt** = Treatment/Program End Date. Status date of the requirement if a closed status. In this example, the report was run for 2<sup>nd</sup> quarter. This requirement ended in 3<sup>rd</sup> quarter so the end date will be reported in that quarter report.
- TmntEndTy** = Treatment/Program End Type. Looks at the status, then looks at the report settings for requirement status cross reference to the DOC End Type codes under “[requirementstatus.<statusCode>=<DOC end type>](#)”.

## Requirement Detail

[Cases](#) | [Attributes](#) | [Alerts](#)

Requirement type: ADULT PROGRAMS  
 Requirement code: Call2test  
 Provider: -- Select --  
 Assigned date: 4/24/2018 Start date: 4/24/2018  
 Scheduled end date: New end date:  
 Status: CCP - Completed Successfully Status date: 8/28/2018

# Specify the treatment requirement codes  
 # treatments.01.n = <Daily Living Skills requirementType/requirementCode> \n"  
 treatments.01.1=proa/call  
 treatments.01.2=proa/cms

# Cross reference requirement status to DOC end type.  
 # Used for CC completion, components and treatments.  
 # requirementstatus.<statusCode>=<DOC end type>

## Report Settings:

---

# -- Required settings --

class=equest.app.reports.Indiana.DocCCQuarterly2

jobQ=batch

filePath=/temp

# Specify Gender from person attributes:

#gender.m.n=<person attribute for male>

#gender.f.n=<person attribute for female>

#gender.t.1=<person attribute for transgender>

gender.t.1=tran

# Specify community corrections requirement codes

# cc.requirements.n = <requirementType/requirementCode>

cc.requirements.1=cc/pr

cc.requirements.2=cc/ctp

cc.requirements.3=cc/cas4

cc.requirements.4=cc/dap

cc.requirements.5=cc/dtc

cc.requirements.6=cc/cas3

cc.requirements.7=cc/hdp

# Cross reference the community corrections requirement codes

# to the DOC 2 letter component codes.

# component.name.<requirementType/requirementCode>=<DOC code>

component.name.cc/pr=cs

component.name.cc/ctp=ct

component.name.cc/cas4=do

component.name.cc/dap=do

component.name.cc/dtc=dr

component.name.cc/cas3=em

component.name.cc/hdp=em

#Specify the term unit codes of the sentencing components

sentencing.components.term.months.1=T2

sentencing.components.term.years.1=T1

sentencing.components.term.days.1=T3

# Specify other id for the DOC number

# otherid.doc=<id type>

otherid.doc=doc

# Specify other id for Drivers license number

# otherid.driverlic=<id type>

otherid.driverlic=dln

# Specify probation requirement codes

# probation.formal.n = <requirementType/requirementCode>

```
# probation.informal.n = <requirementType/requirementCode>
probation.formal.1=prob/adic
probation.formal.2=prob/ica
probation.formal.3=prob/ap
probation.formal.4=prob/apn
```

```
# Specify the treatment requirement codes
```

```
# treatments.01.n = <Daily Living Skills requirementType/requirementCode> \n"
# treatments.02.n = <Detox/Subst requirementType/requirementCode> \n"
# treatments.03.n = <Education Based requirementType/requirementCode> \n"
# treatments.04.n = <Employment skills requirementType/requirementCode> \n"
# treatments.05.n = <Evidence based requirementType/requirementCode> \n"
# treatments.06.n = <Faith requirementType/requirementCode> \n"
# treatments.07.n = <Family requirementType/requirementCode> \n"
# treatments.08.n = <Mental Health requirementType/requirementCode> \n"
# treatments.09.n = <Support Services requirementType/requirementCode> \n"
# treatments.10.n = <Veteran Services requirementType/requirementCode> \n"
# treatments.11.n = <Victim Impact requirementType/requirementCode> \n"
```

```
treatments.01.1=proa/call
treatments.01.2=proa/cms
treatments.01.3=proa/home
treatments.01.4=proa/cm
treatments.01.5=proa/rec
treatments.01.6=proa/seek
treatments.02.1=proa/cou2
treatments.02.2=proa/cou3
treatments.02.3=proa/drgj
treatments.02.4=proa/iop
treatments.02.5=proa/rela
treatments.02.6=proa/res
treatments.03.1=proa/ged
treatments.04.1=proa/csg
treatments.04.2=proa/emp
treatments.04.3=proa/resu
treatments.05.1=proa/art
treatments.05.2=proa/epic
treatments.05.3=proa/gets
treatments.05.4=proa/liv
treatments.05.5=proa/mrt
treatments.05.6=proa/mype
treatments.05.7=proa/pri
treatments.05.8=proa/rel
treatments.05.9=proa/sae
treatments.05.10=proa/skil
treatments.05.11=proa/socv
treatments.05.12=proa/strs
treatments.05.13=proa/t4c
treatments.05.14=proa/wwit
treatments.05.15=proa/wwtg
treatments.06.1=
```

treatments.07.1=proa/fam  
treatments.08.1=proa/ang  
treatments.08.2=proa/bip  
treatments.08.3=proa/coui  
treatments.08.4=proa/sex  
treatments.08.5=proa/resi  
treatments.09.1=proa/sup  
treatments.10.1=proa/vet  
treatments.11.1=proa/vita  
treatments.11.2=proa/vorp

# Specify the sentencing requirement code(s)  
# sentencing.n=<requirementType/requirementCode>  
sentencing.1=si/si  
sentencing.2=si/smod  
sentencing.3=si/strf  
sentencing.4=si/sptr

# Specify the sentencing component type code(s)  
# sentencing.components.n=<componentType>  
sentencing.components.1=C10

# Specify juvenile case types.  
# juvenile.casetype.n=<caseType>  
# juvenile.casetype.1=JD  
# juvenile.casetype.2=JS

# Specify case types to ignore. CC Requirements tied to these  
# case types will be ignored.  
# skip.casetype.n=<caseType>  
skip.casetype.1=civ  
skip.casetype.2=JD  
skip.casetype.3=JS  
skip.casetype.4=JM

# Cross reference assessment override reasons to DOC two letter reasons.  
# assess.overrideReason.<overrideReason>=<DOC reason>  
# assess.overrideReason.xyz=LI  
assess.overrideReason.cmi=MH  
assess.overrideReason.dept=OO  
assess.overrideReason.nc=NC  
assess.overrideReason.oth=OO  
assess.overrideReason.sv=OO  
assess.overrideReason.unus=OO

# Cross reference assessment types to DOC 2 letter assessment type.  
# assess.type.<assessmentType>=<DOC assessment type>  
assess.type.pat=pr  
assess.type.csst=cr

assess.type.cst=cs  
assess.type.st=st

# Specify assessment types to include in the report.  
# If none are specified, then all will be included.  
# assessment.types.n=<assessmentType>  
assessment.types.1=CSST  
assessment.types.2=CST  
assessment.types.3=PAT  
assessment.types.4=ST

# Cross reference last grade.  
# Quest value is used if not cross referenced here.  
# last.grade.<lastGrade>=<DOC Education level>  
last.grade.01=13  
last.grade.02=13  
last.grade.03=13  
last.grade.04=13  
last.grade.05=13  
last.grade.06=13  
last.grade.07=14  
last.grade.08=14  
last.grade.09=14  
last.grade.10=14  
last.grade.11=14  
last.grade.12=14  
last.grade.ged=14  
last.grade.12di=14  
last.grade.post=15  
last.grade.as=15  
last.grade.bs=15  
last.grade.ma=15  
last.grade.12+=15  
last.grade.phd=15  
last.grade.trte=16

# Cross reference requirement status to DOC end type.  
# Used for CC completion, components and treatments.  
# requirementstatus.<statusCode>=<DOC end type>

requirementstatus.ab=ab  
requirementstatus.abp=ab  
requirementstatus.un1=bi  
requirementstatus.c=cc  
requirementstatus.cc=cc  
requirementstatus.ccp=cc  
requirementstatus.cr=cr  
requirementstatus.ct=ct  
requirementstatus.d1=dd

requirementstatus.dd=dd  
requirementstatus.nc=nc  
requirementstatus.ncp=nc  
requirementstatus.nx=nx  
requirementstatus.nxp=nx  
requirementstatus.pb=pb  
requirementstatus.pc=pc  
requirementstatus.qu=qu  
requirementstatus.un3=re  
requirementstatus.un4=rf  
requirementstatus.rl=rl  
requirementstatus.re=rt  
requirementstatus.rt=rt  
requirementstatus.ss=ss  
requirementstatus.tc=tc  
requirementstatus.tacc=tc  
requirementstatus.te=te  
requirementstatus.t=td  
requirementstatus.ti=ti  
requirementstatus.i=ti  
requirementstatus.diuc=tm  
requirementstatus.tr=tr  
requirementstatus.tv=tv  
requirementstatus.tvp=tv

# Cross reference race codes.  
# Quest value is used if not cross referenced.  
# race.<raceCode>=<DOC race code>  
race.w=w  
race.b=b  
race.i=ai  
race.a=as  
race.ai=as  
race.ch=as  
race.ja=as  
race.mu=mr  
race.h=o  
race.pi=pi  
race.m=o  
race.u=o

# Cross reference ethnicity codes.  
# Quest value is used if not cross referenced.  
# ethnicity.<ethnicityCode>=<DOC ethnicity code>  
ethnicity.hl=h  
ethnicity.nhl=n

# Cross reference citizenship codes.  
# Quest value is used if not cross referenced.  
# citizen.<citizenCode>=<DOC citizen code>  
citizen.nusa=n

citizen.usa=y

# Employment status codes for 'employment restrictions'  
# employStatus.restricted.n=????  
employStatus.restricted.1=DIS  
employStatus.restricted.2=RET  
employStatus.restricted.3=STU

# Requirement attribute to cc and component referral type xref (lowercase attribute)

# ?? = one of the following  
# CO - Courtesy Transfer  
# CT - Community Transition Program  
# DC - Direct Commitment/Non-Suspendable  
# EX - Executed Sentence  
# IN - Incentive  
# MS - Modification of Sentence  
# OO - Other  
# PA - Probation Violation/Probation Revocation  
# PR - Probation  
# PS - Problem Solving Court  
# PT - Pretrial  
# PV - Parole Violation  
# SC - Sanction  
# TR - Transfer  
# 01 - Direct commitment without prior incarceration  
# 02 - Direct commitment with prior incarceration  
# 03 - Probation violator - technical  
# 04 - Probation violator - new offense  
# 05 - Escape return transfer  
# 06 - Escape  
# 07 - Delinquent return transfer  
# 08 - Delinquent return  
# 09 - From CTP  
# 10 - Interstate new offense  
# 11 - Interstate  
# 12 - Transfer from another CC agency  
# 13 - Transfer from IDOC  
# 14 - Transfer from jail  
# 15 - Transfer from another legal entity  
# 16 - Pretrial  
# 17 - Other not listed

# requirementAttribute.<attribute type>=??  
requirementAttribute.co=CO  
requirementAttribute.ctp=CT  
requirementAttribute.dc=DC  
requirementAttribute.inc=IN  
requirementAttribute.ms=MS  
requirementAttribute.op=OP  
requirementAttribute.pv=PA  
requirementAttribute.prob=PR



requirementAttribute.psc=PS  
requirementAttribute.pre=PT  
requirementAttribute.par=PV  
requirementAttribute.san=SC  
requirementAttribute.tran=TR

# Diversion flag  
# case status mapped to whether cc is for diversion (lowercase)  
# ?? = one of the following  
# DC - IDOC Diversion  
# ND - Not a Diversion  
# OO - Other Diversion Type Not Listed  
# PT - Pretrial Diversion  
# UN - Unknown  
# diversionStatus.<casestatus>=??  
diversionStatus.pred=PT  
diversionStatus.dtc=OO

# Person attribute for veteran  
personAttribute.veteran=VET

# File path for files while being created  
# filePath=/temp

# Report prompt fields  
prompt.parm.1=startDate  
prompt.parm.1.type=date  
prompt.parm.1.label=From date  
prompt.parm.1.required=true  
prompt.parm.1.default=begPrevQuarter

prompt.parm.2=endDate  
prompt.parm.2.type=date  
prompt.parm.2.label=To date  
prompt.parm.2.required=true  
prompt.parm.2.default=endPrevQuarter