

# FF AgyCasP

## What it does:

---

## Used in template:

---

## What the user sees:

---

## Output:

---

NOTE: You can limit the list to active assignments only by starting the prompt with the following lines (the line will be removed from the prompt when presented to the user):  
activeOnly=y

NOTE: You can limit the list to people who are not deceased by starting the prompt with the following lines (the line will be removed from the prompt when presented to the user):  
skipDeceased=y

NOTE: You may start the prompt with the following line(s) to limit the names to only the types/roles listed (there can be multiple lines of each type below):  
assignedRole=ASSIGNED ROLE

## FF AGYCASP/00 – Select **assignments** - string name

---

**Lists all case assignments for each person**ID/caseID tied to the document. If no caseID is specified, then case assignments for all the cases for the personID will be listed.

Selected items will be formatted as follows:

John Smith, Jane Doe and Jim Dean

## **FF AGYCASP/01 – Select assignments - stack name/type/addr/phone**

---

Selected items will be formatted as follows:

John Smith (Witness)  
1234 Main Street  
Indianapolis, IN 46218  
**HOME: 317-123-4567**

Jane Doe (Probation officer)

Jim Dean (Victim)  
3838 W. Washington St  
Indianapolis, IN 46218

## **FF AGYCASP/02 – Select assignments - stack name/type**

---

Selected items will be formatted as follows:

John Smith (Witness)  
Jane Doe (Probation officer)  
Jim Dean (Victim)

## **FF AGYCASP/03 – Select assignments - string name/type**

---

Selected items will be formatted as follows:

John Smith (Witness), Jane Doe (Probation officer) and Jim Dean (Victim)

## **FF AGYCASP/04 – Select assignments – stack name/employer(id)/addr**

---

Selected items will be formatted as follows:

John Smith  
**Indianapolis Police Department (ID# S1234)**  
1234 Main Street  
Indianapolis, IN 46218

Jane Doe

Jim Dean  
Indianapolis Police Department (ID# D1234)

3838 W. Washington St  
Indianapolis, IN 46218

NOTE: If you want to use a different label, instead of ID#, you can go to the FFAGYCASP entry of the Defaults table. You can set it based upon a person's employer agency.

### **FF AGYCASP/05 – Select assignments - stack name/empl(id)/addr/ph**

---

Selected items will be formatted as follows:

John Smith  
Indianapolis Police Department (ID# S1234)  
1234 Main Street  
Indianapolis, IN 46218  
Work: 123-456-7890

Jane Doe

Jim Dean  
Indianapolis Police Department (ID# D1234)  
3838 W. Washington St  
Indianapolis, IN 46218  
Work: 111-222-3333

### **FF AGYCASP/10 – Select assignments - string name/f#/c#**

---

John Smith (3123/1), Jane Doe (3123/1) and Jim Dean (3123/2)

### **FF AGYCASP/11 – Select assignments – stack name/f#/c#**

---

Selected items will be formatted as follows:

John Smith (3123/1)  
Jane Doe (3123/1)  
Jim Dean (3123/2)

### **FF AGYCASP/12 – Select assignments – string name**

---

Selected items will be formatted as follows:

John Smith, Jane Doe and Jim Dean

### **FF AGYCASP/13 – Select assignments – stack name**

---

Selected items will be formatted as follows:

John Smith  
Jane Doe  
Jim Dean

## **FF AGYCASP/20 – Select assignments/all - string name/f#/c#**

---

Lists all case assignments for all cases for each personID tied to the document.

Selected items will be formatted as follows:

John Smith (3123/1), Jane Doe (3123/1) and Jim Dean (3123/2)

## **FF AGYCASP/21 – Select assignments/all - stack name/f#/c#**

---

Selected items will be formatted as follows:

John Smith (3123/1)  
Jane Doe (3123/1)  
Jim Dean (3123/2)

## **FF AGYCASP/22 – Select assignments/all - string name**

---

Selected items will be formatted as follows:

John Smith, Jane Doe and Jim Dean

## **FF AGYCASP/23 – Select assignments/all - stack name**

---

Selected items will be formatted as follows:

John Smith  
Jane Doe  
Jim Dean

## **FF AGYCASP/30 – Select assign/relatives - string name**

---

Lists all case assignments and relatives for each personID/caseID tied to the document. If no caseID is specified, then case assignments for all the cases for the personID will be listed.

Selected items will be formatted as follows:

John Smith, Jane Doe and Jim Dean

NOTE: You can limit the list to active assignments only, people not deceased, skip relatives, and/or skip relatives with specific custody statuses by starting the prompt with the following lines (the line will be removed from the prompt when presented to the user):

activeOnly=y  
skipDeceased=y  
skipRelatives=y  
skipCustodyStatus=????

NOTE: You may start the prompt with the following line(s) to limit the names to only the types/roles listed (there can be multiple lines of each type below):

relativeType=RELATIVE TYPE  
assignedRole=ASSIGNED ROLE

## **FF AGYCASP/31 – Select **assign/relatives** - stack name/type/addr**

---

Selected items will be formatted as follows:

John Smith (Witness)  
1234 Main Street  
Indianapolis, IN 46218

Jane Doe (Probation officer)

Jim Dean (Victim)  
3838 W. Washington St  
Indianapolis, IN 46218

## **FF AGYCASP/32 – Select **assign/relatives** - stack name/type**

---

Selected items will be formatted as follows:

John Smith (Witness)  
Jane Doe (Probation officer)  
Jim Dean (Victim)

## **FF AGYCASP/33 – Select **assign/relatives** - string type/name+agency**

---

Selected items will be formatted as follows:

John Smith, Probation officer Jane Doe, Marion County Probation Department and Jim Dean

## **FF AGYCASP/34 – Select **assign/relatives** - s/s name/type/addr**

---

If the variable ends with a '-', a relative's custody status won't be included.

Selected items will be formatted as follows:

John Smith (Witness), 1234 Main Street, Indianapolis, IN 46218  
Jane Doe (Probation officer)  
Jim Dean (Victim), 3838 W. Washington St, Indianapolis, IN 46218

## FF AGYCASP/40 – Sel event appear - string (no AND; yes)

---

Lists all case assignments and relatives for each personID/caseID tied to the document. If no caseID is specified, then case assignments for all the cases for the personID will be listed. If the variable ends with a '-', a relative's custody status won't be included. If the variable ends with '--', there will be no output, just the database update.

NOTE: Selected entries will also update the EventAppearances database with 'APPEAR = YES' for the person.

Selected items will be formatted as follows:

John Smith (Attorney), Jane Doe (Probation officer), Jim Dean (Victim)

NOTE: You can limit the list to active assignments only, people not deceased, skip relatives, and/or skip relatives with specific custody statuses by starting the prompt with the following lines (the line will be removed from the prompt when presented to the user):

```
activeOnly=y
skipDeceased=y
skipRelatives=y
skipCustodyStatus=????
```

NOTE: You may start the prompt with the following line(s) to limit the names to only the types/roles listed (there can be multiple lines of each type below):

```
relativeType=RELATIVE TYPE
assignedRole=ASSIGNED ROLE
```

## FF AGYCASP/41 – Sel event appear - string (yes)

---

Selected items will be formatted as follows:

John Smith (Attorney), Jane Doe (Probation officer) and Jim Dean (Victim)

## FF AGYCASP/42 – Sel event appear - string (w/doc names; no AND; Y)

---

Lists all document names, case assignments and relatives for each personID/caseID tied to the document.

Selected items will be formatted as follows:

Jim Adams, John Smith (Attorney), Jane Doe (Probation officer), Jim Dean (Victim)

## FF AGYCASP/43 – Sel event appear - string (w/doc names; yes)

---

NOTE: Selected entries will also update the EventAppearances database with 'APPEAR = YES' for the person.

Selected items will be formatted as follows:

Jim Adams, John Smith (Attorney), Jane Doe (Probation officer) and Jim Dean (Victim)

### **FF AGYCASP/44 – Sel event appear - stack (w/doc names; yes)**

---

NOTE: Selected entries will also update the EventAppearances database with 'APPEAR = YES' for the person.

Selected items will be formatted as follows:

Jim Adams  
John Smith (Attorney)  
Jane Doe (Probation officer)  
Jim Dean (Victim)

### **FF AGYCASP/45 – Sel event appear - stack (w/doc names; no)**

---

NOTE: Selected entries will also update the EventAppearances database with 'APPEAR = NO' for the person.

Selected items will be formatted as follows:

Jim Adams  
John Smith (Attorney)  
Jane Doe (Probation officer)  
Jim Dean (Victim)

### **FF AGYCASP/46 – Sel event appear - string (w/doc names; no)**

---

NOTE: Selected entries will also update the EventAppearances database with 'APPEAR = NO' for the person.

Selected items will be formatted as follows:

Jim Adams, John Smith (Attorney), Jane Doe (Probation officer) and Jim Dean (Victim)

### **FF AGYCASP/50 – Sel assign/relative/doc - string name**

---

Lists all document names, case assignments and relatives for each personID/caseID tied to the document. If no caseID is specified, then case assignments for all the cases for the personID will be listed.

Selected items will be formatted as follows:

John Smith, Jane Doe and Jim Dean

## **FF AGYCASP/51 – Sel assign/relative/doc - stack name**

---

Selected items will be formatted as follows:

John Smith  
Jane Doe  
Jim Dean

## **FF AGYCASP/52 – Sel assign/relative/doc - stack name/type/addr/phone**

---

Selected items will be formatted as follows:

John Smith (Witness)  
1234 Main Street  
Indianapolis, IN 46218  
**HOME: 317-123-4567**

Jane Doe (Probation officer)

Jim Dean (Victim)  
3838 W. Washington St  
Indianapolis, IN 46218

## **FF AGYCASP/53 – Sel assign/relative/doc - stack name/type/addr**

---

Selected items will be formatted as follows:

John Smith (Witness)  
1234 Main Street  
Indianapolis, IN 46218

Jane Doe (Probation officer)

Jim Dean (Victim)  
3838 W. Washington St  
Indianapolis, IN 46218

## **FF AGYCASP/54 – Sel assign/relative/doc - stack name/type**

---

Selected items will be formatted as follows:

John Smith (Witness)  
Jane Doe (Probation officer)  
Jim Dean (Victim)

## **FF AGYCASP/55 – Sel assign/relative/doc - string name/type**

---



Selected items will be formatted as follows:

John Smith (Witness), Jane Doe (Probation officer) and Jim Dean (Victim)

### **FF AGYCASP/56 – Sel assign/relative/doc - stack name/addr**

---

Selected items will be formatted as follows:

John Smith  
1234 Main Street  
Indianapolis, IN 46218

Jane Doe

Jim Dean  
3838 W. Washington St  
Indianapolis, IN 46218

### **FF AGYCASP/57 – Sel assign/relative/doc - stack name/age/type/address**

---

Selected items will be formatted as follows:

Jane Doe (Mother) - Age 35; 1234 Main Street, Indianapolis IN 46268  
John Doe (Father) - Age 35; 5678 N. Meridian, Indianapolis IN 46268

### **FF AGYCASP/58 – Sel assign/relative/doc - string 'and/or' name**

---

Selected items will be formatted as follows:

John Smith, Jane Doe and/or Jim Dean

### **FF AGYCASP/60 – Sel assign/relative/doc - stack name/age/address**

---

Selected items will be formatted as follows:

Jane Doe - Age 35; 1234 Main Street, Indianapolis IN 46268  
John Doe - Age 35; 5678 N. Meridian, Indianapolis IN 46268

### **FF AGYCASP/61 – Sel assign/relative/doc - stack name/addr**

---

Selected items will be formatted as follows:

John Smith  
1234 Main Street  
Indianapolis, IN 46218

Jane Doe

Address unknown

Jim Dean  
3838 W. Washington St  
Indianapolis, IN 46218

## FF AGYCASP/62 – Sel assign/relative/doc - stack name/Phone

---

Selected items will be formatted as follows:

John Smith  
WORK: 317-123-4567

Jane Doe

Jim Dean  
WORK: 317-123-4567

## FF AGYCASP/59 – Sel assign/relative/doc - string name/addr


---

Lists all document names, case assignments and relatives for each personID/caseID tied to the document. If no caseID is specified, then case assignments for all the cases for the personID will be listed. **Also, the home address will not be included if a case assignment** (see mode 63).

**NOTE: If the variable starts with a '-', then we will not output an email address regardless of the settings in the 'NoticeToEmail' defaults table. If the variable ends with a '+', then this will also update the 'notices' file for who should receive notice.**

Selected items will be formatted as follows:

John Smith, 1234 Main Street, Indianapolis, IN 46218  
Jane Doe, Address unknown  
Jim Dean, 3838 W. Washington St, Indianapolis, IN 46218



Use this mode in the COS so it will not send to their home.


## FF AGYCASP/63 – Sel assign/relative/doc - string name/addr

---

**The first address for the person will be listed, even for case assignments** (see mode 59).

Selected items will be formatted as follows:

John Smith, 1234 Main Street, Indianapolis, IN 46218  
Jane Doe, Address unknown  
Jim Dean, 3838 W. Washington St, Indianapolis, IN 46218



Use this mode if you are selecting victims or witnesses so it will send to their home.