
FF ARCHGSL

What it does:

This function is used to list the incident charges for all cases tied to the document. The user can select the incident statutes desired. The function produces this information in various formats in the document.

Used in template:



What the user sees:



Output:

```
The Court finds Probable Cause to believe that the child committed the following:
10/5/2018 7:38 PM - Arrest referred by Fort Wayne Police Department (Case 13)
Occurred at W. Paulding Rd/ Fairfield
Count 1 - Possession of Marijuana (35-48-4-11(a)(1)), a Class B Misdemeanor
Count 2 - Operating a Motor Vehicle Without Ever Receiving a License (9-24-18-1), a Class C Misdemeanor
Count 3 - Possession of Cocaine (35-48-4-6(a)), a Level 6 Felony
```

FF ARCHGSL/00 - Select incident charges w/name

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

Name	CMP CNT CHARGE DESCRIPTION
John Doe	3 1 AIDING BURGLARY (Speeding - 35/20 Mile p
John Doe	3 2 ARSON/FA
John Doe	3 1 ARSON/FB

FF ARCHGSL/01 - Select incident charges - stack

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

```
AIDING BURGLARY (Speeding - 35/20 Mile per hour)
ARSON
ARSON
```

FF ARCHGSL/02 – Select incident charges - string

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

AIDING BURGLARY (Speeding - 35/20 Mile per hour), ARSON and ARSON

FF ARCHGSL/03 - Select incident charges w/state code - stack

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

FF ARCHGSL/04 – Select incident charges w/state code - string

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

35-41-2-4 AIDING BURGLARY (Speeding - 35/20 Mile per hour), 35-43-1-1FA ARSON/FA and 35-43-1-1FB ARSON/FB

FF ARCHGSL/05 – Select incident charges, long desc - string

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows (when committed by an adult will only be added if the Defaults entry for WhenAdult is set to 'y'):

AIDING BURGLARY, a Class B Felony (I.C. 35-41-2-4) (Speeding - 35/20 Mile per hour) when committed by an adult, ARSON/FA, a Class A Felony (I.C. 35-43-1-1FA) when committed by an adult and ARSON/FB, a Class B Felony (I.C. 35-43-1-1FA) when committed by an adult

FF ARCHGSL/06 - Select incident charges, long desc w/incident

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows (when committed by an adult will only be added if the Defaults entry for WhenAdult is set to 'y'):

9/13/2002 11:38:58 AM - Expelled referred by BCDS (Bill Gottlieb/3) - Occurred at 123 West Main Street: AIDING BURGLARY, a Class B Felony (I.C. 35-41-2-4) (Speeding - 35/20 Mile per hour) when committed by an adult and ARSON/FA, a Class A Felony (I.C. 35-43-1-1FA) when committed by an adult

4/23/2002 9:18:00 PM - Arrest referred by Police (Bill Gottlieb/3): ARSON/FB, a Class B Felony (I.C. 35-43-1-1FB) when committed by an adult

FF ARCHGSL/07 - Select incident charges, w/case - stack

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

9/13/2002 11:38:58 AM - Expelled referred by BCDS (Case 3)

Occurred at 123 West Main Street

Count 1 - AIDING BURGLARY, a Class B Felony (I.C. 35-41-2-4) (Speeding - 35/20 Mile per hour)

Count 2 - ARSON/FA, a Class A Felony (I.C. 35-43-1-1FA) 4/23/2002 9:18:00 PM - Arrest referred by Police (Case 3): Count 1 - ARSON/FB, a Class B Felony (I.C. 35-43-1-1FB)

FF ARCHGSL/08 – Select incident charges, w/case¬es - stack

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

9/13/2002 11:38:58 AM - Expelled referred by BCDS (Case 3)

Occurred at 123 West Main Street

Count 1 - AIDING BURGLARY, a Class B Felony (I.C. 35-41-2-4) (Speeding - 35/20 Mile per hour)

Count 2 - ARSON/FA, a Class A Felony (I.C. 35-43-1-1FA)

Notes for this incident.

4/23/2002 9:18:00 PM - Arrest referred by Police (Case 3):

Count 1 - ARSON/FB, a Class B Felony (I.C. 35-43-1-1FB)

Notes for this incident will now be shown.

FF ARCHGSL/09 - Select incident charges - stack

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

AIDING BURGLARY/MA ARSON/FA ARSON/FB

FF ARCHGSL/10 – Select incident charges - string

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

AIDING BURGLARY/MA, ARSON/FA and ARSON/FB

FF ARCHGSL/11 - Select incident charges, w/case - stack

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

9/13/2002 11:38:58 AM - Expelled referred by BCDS (Case 3)

Count 1 - AIDING BURGLARY, a Class B Felony (I.C. 35-41-2-4) (Speeding - 35/20 Mile per hour)

Count 2 - ARSON/FA, a Class A Felony (I.C. 35-43-1-1FA)

FF ARCHGSL/12 - Select incident charges, w/case¬es - stack

This function is used to list the incident charges for all cases tied to the document (if the variable ends with a '+', incident charges from all cases will be displayed). Charges may then be selected. They will be formatted as follows:

9/13/2002 11:38:58 AM - Expelled referred by BCDS (Case 3)
Count 1 - AIDING BURGLARY, a Class B Felony (I.C. 35-41-2-4) (Speeding - 35/20 Mile per hour)
Count 2 - ARSON/FA, a Class A Felony (I.C. 35-43-1-1FA)
Notes for this incident.

4/23/2002 9:18:00 PM - Arrest referred by Police (Case 3): Count 1 - ARSON/FB, a Class B Felony (I.C. 35-43-1-1FB) Notes for this incident will now be shown.