FF COPYVAR

What it does:

The current document looks at a previous document to copy the answers to questions already asked and answered.

Used in template:

First template:

Template name:	IVD-FACT Version: 10 Status:* (P - Production •
Title:*	Fact Sheet
Color:	
	Need file stamp Need approval Send notice
Times used in production	5151 This total doesn't count when a form was included i
Template	
· · · · · · · · · · · · · · · · · · ·	
Court Location = @v/appear/	1
Barcode = @v/bar/	
11	
Mother = @v/mom/	
Father = @v/dad/	
11	
Custodial Parent = @v/cp/	
Custodial Parent title = @v/cp	
Non-custodial Parent = @v/ncp/	
Non-custodial Parent title = 0	iv/nepu/l

Second template:

Template name: IVD-EPAT Version: 15 Status:* (P - Production
Title:* Verified Petition to Establish Paternity

@v/bar/

Variables				
Name	Туре	Action		
BAR	@V/	FF COPYVAR/02		

Menu | Tables | Generic Validation Tables | Defaults | FF COPYVAR/02

Code	Short description	Long description
Add a new entry		
FF COPYVAR/02	IVD-FACT	IV-D Fact Sheet

The first template IVD-FACT had the user enter the barcode number in the @v/bar/.

The second template also has the @v/bar/ in it, but instead of asking the user again, it pointed to the IVD-FACT template and copied the response they gave to that question.

Each first template must be set up with a unique copyvar number in the defaults table, then use that code as the variable action.

What the user sees:

The user will answer the question in the first template then never see that question again.

Output:

The second document will output the same answer as the first document.

FF COPYVAR/00 – 09 - Copy a variable

Automatically searches documents from all personIDs tied to this document and copies the response from a variable of the matching name and type from another document. The document name to be searched for the matching variable is determined by the DEFAULTS table entry of the same name as this function.