

IDENTIFYING INFORMATION

What it does:

These functions individually formats various identifying information such as the eye color, hair color, height, weight, race, sex, social security number, and/or file number of the first person tied to the document.

Used in template:

Template

```
@v/test/  
  
<table width="100%">  
<tr width="100%">  
<td width="25%">FILNBR: @v/filnbr/</td>  
<td width="25%">SSN: @v/ssn/</td>  
<td width="25%">SEX: @v/sex/</td>  
<td width="25%">RACE: @v/race/</td>  
</tr>  
  
<tr>  
  
<td>HEIGHT: @v/ht/</td>  
<td>WEIGHT: @v/wt/</td>  
<td>EYES: @v/eyes/</td>  
<td>HAIR: @v/hair/</td>  
</tr>  
</table>
```

Variables

Name	Type	Action	Length	Prompt
EYES	@V/	FF EYES/00	1	x
FILNBR	@V/	FF FILNBR/00	1	x
HAIR	@V/	FF HAIR/00	1	x
HT	@V/	FF HEIGHT/00	1	x
RACE	@V/	FF RACE/00	1	x
SEX	@V/	FF SEX/00	1	x
SSN	@V/	FF SSN/00	1	x
TEST	@V/	FF CMLPNTS/03	1	Select the case you want the warrant issued in:
WT	@V/	FF WEIGHT/00	1	x

What the user sees:

The user doesn't see anything, this is automatic.

Output:

FILNBR: 391243	SSN: 311-25-2310	SEX: Male	RACE: Caucasian
HEIGHT: 5 ft 2 in	WEIGHT: 110	EYES: Brown	HAIR: Brown

FF EYES/00 – Formats eye color of first id

This function is used to format the eye color of the first identity tied to the form.

FF HAIR/00 – Formats hair color of first id

This function is used to format the hair color of the first identity tied to the form.

FF HEIGHT/00 – Formats height of first id (n ft nn in)

This function is used to format the height of the first identity tied to the form.

FF WEIGHT/00 – Formats weight of first id

This function is used to format the weight of the first identity tied to the form.

FF RACE/00 – Formats race of first id

This function is used to format the race of the first identity tied to the form.

FF SEX/00 – Formats sex of first id

This function is used to format the sex of the first identity tied to the form.

FF SSN/00 – Formats social security number of first id

This function is used to format the social security number of the first identity tied to the form.

FF SSN/01 – Formats the last 4 digits of ssn of first id

This function is used to format the last four digits of the social security number of the first identity tied to the form.

FF FILNBR/00 – Formats file numbers tied to document - string

This function is used to format the file numbers of all identities tied to the document.

FF FILNBR/01 – Formats file numbers/c# tied to document - string

This function is used to format the file numbers/case numbers of all identities tied to the document.

FF FILNBR/02 – Formats personID tied to document - string

This function is used to format the internal quest personID of all identities tied to the document.

FF PHOTO/00 – Formats the photo of first id

This function is used to format the photo of the first identity tied to the form.

FF PHONE/00 – Formats phone of first id - stack

This function is used to format the contact numbers of the first identity tied to the form. An entry will look something like:

Number type: number

Number type: number

FF EMERGCNT/00 – Formats emergency contacts of first id - stack

This function is used to format the emergency contacts of the first identity tied to the form. An entry will look something like:

John Doe: 317-555-1212

Jane Doe: 317-555-1212

FF AKA/00 - Formats aliases of first id – stack

This function is used to format the alias names of the first identity tied to the form. An entry will look something like:

First1 Middle1 Last1 (Type1)

First2 Middle2 Last2 (Type2)

FF AKA/01 - Formats aliases of first id – stack/no type

This function is used to format the alias names of the first identity tied to the form. An entry will look something like:

First1 Middle1 Last1

First2 Middle2 Last2