FF IDBLK

What it does:

This function is used to format identifying information for the first person tied to the document, such as age, dob, sex, race, birthplace, height, weight, hair, eyes, ethnicity, citizenship, language, marital status, religion, physical identifiers.

Used in template:

Template
@v/test/
@V/idblk/

Variables				
Name	**Type**	**Action**	**Length**	**Prompt**
IDBLK	@V/	FF IDBLK/00	1	X
TEST	@V/	FF CMPLNTS/00	1	x

What the user sees:

The user doesn't see anything, this is automatic.

Output:

```
Age: 1   DOB: 2/15/2017    Race: White    Sex: Female
Birthplace: Pulaski, TN   SSN: 333-33-3333
Height: Unknown   Weight: Unknown    Hair: Unknown    Eyes: Unknown
Ethnicity: Non-Hispanic   Citizenship: US Citizen    Language: English
Marital Status: Unknown   Religion: Unknown

Tattoos:
Eagle on left foot
```

FF IDBLK/00 – Formats id block of first id - w/physical idents

This function is used to format the id block of the first identity tied to the form. NOTE: if the variable name ends with a '-', it will only show the year of dob and the last 4 of ssn. It will be formatted as follows:

Age: 15   DOB: 1/15/87   Race: White   Sex: Male
Birthplace: Indianapolis, IN   SSN: 123-45-6789
Height: 5 ft 8 in   Weight: 176   Hair: Black   Eyes: Brown
Ethnicity: Hispanic   Citizenship: US Citizen   Language: English
Marital Status: Single   Religion: Unknown

Glasses and/or contacts:
Big black round glasses

Facial hair:
Beard and mustache

FF IDBLK/01 – Formats id block of first id - no physical idents

This function is used to format the id block of the first identity tied to the form. NOTE: if the variable name ends with a '-', it will only show the year of dob and the last 4 of ssn. It will be formatted as follows:

Age: 15   DOB: 1/15/87   Race: White   Sex: Male
Birthplace: Indianapolis, IN   SSN: 123-45-6789
Height: 5 ft 8 in   Weight: 176   Hair: Black   Eyes: Brown
Ethnicity: Hispanic   Citizenship: US Citizen   Language: English
Marital Status: Single   Religion: Unknown

FF IDBLK/02 – Formats physical idents of first id

This function is used to format the physical identifiers of the first identity tied to the form. It will be formatted as follows:

Glasses and/or contacts:
Big black round glasses

Facial hair:
Beard and mustache

FF IDBLK/03 – Formats id block of first id - w/physical idents

This function is used to format the id block of the first identity tied to the form. It only does the last 4 digits of the SSN though. NOTE: if the variable name ends with a '-', it will only show the year of dob. It will be formatted as follows:

Age: 15   DOB: 1/15/87   Race: White   Sex: Male
Birthplace: Indianapolis, IN   SSN: 123-45-6789
Height: 5 ft 8 in   Weight: 176   Hair: Black   Eyes: Brown
Ethnicity: Hispanic   Citizenship: US Citizen   Language: English
Marital Status: Single   Religion: Unknown

Glasses and/or contacts:
Big black round glasses

Facial hair:
Beard and mustache

FF IDBLK/04 – Formats id block of first id - no physical idents

This function is used to format the id block of the first identity tied to the form. It only does the last 4 digits of the SSN though. NOTE: if the variable name ends with a '-', it will only show the year of dob. It will be formatted as follows:

Age: 15   DOB: 1/15/87   Race: White   Sex: Male
Birthplace: Indianapolis, IN   SSN: 123-45-6789
Height: 5 ft 8 in   Weight: 176   Hair: Black   Eyes: Brown
Ethnicity: Hispanic   Citizenship: US Citizen   Language: English
Marital Status: Single   Religion: Unknown

FF IDBLK/10 – Formats ethnicity of first id

This function is used to format the ethnicity of the first identity tied to the form.

FF IDBLK/11 – Formats citizenship of first id

This function is used to format the citizenship of the first identity tied to the form.

FF IDBLK/12 – Formats language of first id

This function is used to format the language of the first identity tied to the form.

FF IDBLK/13 – Formats marital status of first id

This function is used to format the marital status of the first identity tied to the form.

FF IDBLK/14 – Formats religion of first id

This function is used to format the religion of the first identity tied to the form.