

# FF SELCS

## What it does:

---

This function lists all case statuses for each case tied to the document. You can select the status you wish to display. The case status is printed in various formats.

## Used in template:

---

### Template

```
@v/cmplnts/
```

```
The child was adjudicated on @v/csdate/.
```

---

### Variables

Name	Type	Action	Length	Prompt
CMPNLNTS	@V/	FF CMPNLNTS/00	1	x
CSDATE	@V/	FF SELCS/08	1	The child was adjudicated on

## What the user sees:

---

The child was adjudicated on

Updates completed successfully

Update  Cancel  Refresh  Backwards

Sel	Case	Date	Status
<input checked="" type="checkbox"/>	92JC1-2018-JD-2	8/16/2018	Adjudicated - Delinquent Child
<input type="checkbox"/>	92JC1-2018-JD-2	8/16/2018	Case Filed

## Output:

---

The child was adjudicated on August 16, 2018.

## **FF SELCS/00 –Select case status - String**

---

This function lists all case statuses for each caseID tied to the document. Selections are formatted as follows:

Opened, Filed, and Closed

## **FF SELCS/01 –Select case status - Stack**

---

This function lists all case statuses for each caseID tied to the document. Selections are formatted as follows:

Opened  
Filed  
Closed

## **FF SELCS/02 –Select case status - String**

---

This function lists all case statuses for each caseID tied to the document. Selections are formatted as follows:

10/1/17 - Opened, 10/5/17 - Filed, and 12/5/17 - Closed

## **FF SELCS/03 –Select case status - Stack**

---

This function lists all case statuses for each caseID tied to the document. Selections are formatted as follows:

10/1/17 - Opened  
10/5/17 - Filed  
12/5/17 – Closed

## **FF SELCS/04 –Select case status - String**

---

This function lists all case statuses for each caseID tied to the document. Selections are formatted as follows:

49D09170110JD123456 - Opened, 49D09170110JD123456 - Filed, and 49D09170110JD123456 - Closed

## **FF SELCS/05 –Select case status - Stack**

---

This function lists all case statuses for each caseID tied to the document. Selections are formatted as follows:

49D09170110JD123456 - Opened  
49D09170110JD123456 - Filed  
49D09170110JD123456 – Closed

## **FF SELCS/06 –Select case status - String**

---

This function lists all case statuses for each caseID tied to the document. Selections are formatted as follows:

49D09170110JD123456 - 10/1/17 - Opened, 49D09170110JD123456 - 10/5/17 - Filed, and  
49D09170110JD123456 - 12/1/17 – Closed

## **FF SELCS/07 –Select case status - Stack**

---

This function lists all case statuses for each caseID tied to the document. Selections are formatted as follows:

49D09170110JD123456 - 10/1/17 - Opened  
49D09170110JD123456 - 10/5/17 - Filed  
49D09170110JD123456 - 12/1/17 - Closed

## **FF SELCS/08 –Select case status - String**

---

This function lists all case statuses for each caseID tied to the document. Selections are formatted as follows:

October 1, 2017