

## Rule GAW060 – Send Message 2

Apply when: CauseNumbers database file

Subtask: I

Standard GAWDBObject subtasks:

'C' - on object creation

'R' - before referential integrity

'i'/'I' - before/after insert

'u'/'U' - before/after update

'd'/'D' - before/after delete

Sequence: 5 (Controls the order in which rules will be applied for a given subtask)

Java class:\*

Sends a Quest message to the desired parties about the passed object. The parties who receive the message are determined by the settings in the 'RULEPARMS' entry of the 'DEFAULTS' table.

Valid properties are:

SendMessage2.xxxx.yyyy.zzzz.n=<Quest userid>

this will send a message to the userid specified of what happened to the document.

xxxx is the lowercase tableid on which to send messages

yyyy is the lowercase role, if a caseassignments record, of the person assigned

yyyy is the lowercase location, if a facilitystays or staylocations record

yyyy is the lowercase case type, if a filedstatutes or causenumbers record

yyyy is the lowercase statute, if an incidentdstatute record

yyyy is the lowercase event type, if an events record

yyyy is the lowercase event attribute, if an eventattributes, caseattributes, stayattributes, or personattributes record

yyyy is the lowercase requirement type or type/code, if an requirements record

zzzz is 'g' for guilty or 'n' for not-guilty, if a filedstatutes record

For facilitystays, staylocations and incidentstatute, if no .yyyy entry matches, it will fall back to just the tableid

For statutes, if no .zzzz entry matches it will fall back to just .yyyy. If no .yyyy entry matches, it will fall back to just the tableid

n must start at 1 and increment by 1 for each entry specified.

### Rule Setup:

Apply when	Sub-task	Seq	JAVA class
<a href="#">CaseAssignments</a>	I	5	<a href="#">equest.rules.SendMessage2</a>
<a href="#">CauseNumbers</a>	I	5	<a href="#">equest.rules.SendMessage2</a>

Rule Parm:

SendMessage2.causenumber.jm.1=stafor  
SendMessage2.causenumber.jm.2=suspar  
SendMessage2.causenumber.jm.3=cyngos  
SendMessage2.causenumber.jt.1=cyngos  
SendMessage2.causenumber.gu.1=cyngos  
SendMessage2.causenumber.po.1=cyngos