Rules AssessmentDetails database file

Apply when: AssessmentDetails database file

Subtask: C

Standard GAWDBObject subtasks:

'C' - on object creation

'R' - before referential integrity

'i'/I' - before/after insert
'u'/'U' - before/after update

'd'/'D' - before/after delete

Sequence: 5 (Controls the order in which rules will be applied for a given subtask)

Java class:* (GAW092 - equest.rules.ProtectAssessment

This is meant to protect an assessment or assessment detail from being viewed by a group otherwise authorized.

Therefore, it should be used UPON CREATION of the Assessments or AssessmentDetails objects.

The assessment types to be protected are determined by the settings in the 'RULEPARMS' entry of the 'DEFAULTS' table.

Valid properties are:

ProtectAssessment.<assessment type>.n=<user group>

where

assessment type is the lowercase type of the assessment to be protected.

user group is the group that is restricted from viewing the particular assessment type.

n must start at 1 and increment by 1 for each entry specified.

Rule Setup:

Apply when	Sub-task	Seq	JAVA class
<u>AssessDetails</u>	С	5	equest.rules.ProtectAssessment
<u>Assessments</u>	С	5	equest.rules.ProtectAssessment

Rule Parms:

ProtectAssessment.may1.1=GAL2 ProtectAssessment.may1.2=ERC ProtectAssessment.may1.3=CAP1

11/26/2018 GAW092 Page | 1