Rule GAW158 – Auto Assign Document 2

Apply when:* DOCUMENTS - Documents database file ▾

Subtask:* u

Standard GAWDBObject subtasks:
'C' - on object creation
'R' - before referential integrity
'i'/'I' - before/after insert
'u'/'U' - before/after update
'd'/'D' - before/after delete

Sequence: 11 (Controls the order in which rules will be applied for a given subtask)

Java class:* GAW158 - equest.rules.AutoAssignDocument2 ▾

Automatically assign a document to the next user based upon the user currently assigned to the document. It will only go to the next user defined if the current assignment is being blanked out.
It must only be called BEFORE UPDATE ('u') of the Documents database object.
The documents to be automatically assigned are determined by the settings in the 'RULEPARMS' entry of the 'DEFAULTS' table.

Valid properties are:

AutoAssignDocument2.<user id>=<next user id>
AutoAssignDocument2.skipFileStamped=y/n
AutoAssignDocument2.skipApproved=y/n
AutoAssignDocument2.skip.n=<template>
template is the lowercase template id
user id is the lowercase user id of who was assigned
next user id is the user id of who should be assigned next
n must start at 1 and increment by 1 for each entry specified.

NOTE: We will skip any templates listed.

Rule Setup:

Apply when	Sub-task	Seq	JAVA class
Documents	u	11	equest.rules.AutoAssignDocument2

# autoassign document from one person to next person upon updating
AutoAssignDocument2.skipFileStamped=y
AutoAssignDocument2.skipApproved=y
AutoAssignDocument2.dangau=JUDMOO
AutoAssignDocument2.geogai=JUDMOO
AutoAssignDocument2.betjan=JUDJON
AutoAssignDocument2.diabur=JUDJON

In this example, the two Magistrate with usernames of dangau and geogai's documents are automatically assigned to the Judge with a username of JUDMOO.

However, the two Magistrates with usernames of betjan and diabur's documents are automatically assigned to the Judge with a username of JUDJON.